

DIMANCO 9+60 WP

Fungicide

FOR USE ON ORNAMENTAL CROPS GROWN IN
COMMERCIAL GREENHOUSES, LATH AND SHADEHOUSES, AND IN
FIELD OR CONTAINERS OUTDOORS

ACTIVE INGREDIENTS:

Dimethomorph.....9.0%

Mancozeb.....60.0%

INERT INGREDIENTS.....31.0%

TOTAL100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION PRECAUCION**

**If you do not understand this label, find someone to explain it to
you in detail.**

GENERAL INFORMATION

DIMANCO 9+60 WP is a 69% wettable powder (WP) used for the control of a broad-spectrum of diseases on ornamental plants grown in greenhouses, lath and shadehouses, and in field or containers outdoors. DIMANCO is a broad-spectrum fungicide to be used in a preventative spray program.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS) CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Do not breathe dust or spray mist. Avoid contact with skin, eyes and clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling.

FIRST AID

EYE CONTACT: Flush with large amounts of water. Get medical attention if irritation persists.

SKIN CONTACT: Wash skin with plenty of soap and water. Remove contaminated clothing and launder before use. Get medical attention if irritation persists. Sensitized persons should avoid further contact and reuse of clothing.

INGESTION: If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Obtain prompt medical attention.

INHALATION: Remove subject to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

MEDICAL CONDITION AGGRAVATED BY OVEREXPOSURE: No cases of human poisoning have been reported.

NOTES TO PHYSICIAN: There is no specific antidote. This product is of very low acute toxicity by the oral and dermal routes, and poisoning is unlikely to occur. Treatment of overexposure should be directed at the control of symptoms and the clinical condition.

NOTE: Have the product container or label with you when calling a poison control center or doctor or when going for treatment.

CROWNBRIDGE MANAGEMENT L.P.
Suite 260, 2323 - 32 Avenue N.E.,
Calgary, Alberta T2E6Z3,
Canada
www.crownbridgetrading.com

1000g

1000g

DIMANCO 9+60 WP

DIMETHOMORPH 9% + MANCOZEB 60% WP

DIRECTIONS FOR USE

DO NOT use on plants for food or feed purposes.

DO NOT apply this product through any type of irrigation system.

DO NOT apply this product in a way that will contact workers or other persons.

COMPATIBILITY OF MIXTURES: The tank-mixing behavior of this fungicide with other pesticides has not been fully investigated. This product is believed to be compatible with most commonly used fungicides, insecticides, micronutrients, growth regulators, and spray adjuvants. Consult specific product labels for additional information. It is always advisable to conduct a tank compatibility test when you plan to mix this product with other products. To determine the physical compatibility of this with other products, use a jar test. Using a quart jar, add the proportionate amounts of the products to approximately one quart of water with agitation. Add dry formulations first, then flowables, then emulsifiable concentrates last. After thorough mixing, allow this mixture to stand for 5 minutes. Look for signs of separation, globules, sludge, flakes or other precipitates. DO NOT tank mix with the other pesticides if the jar test with DIMANCO has indicated incompatibility.

PREPARATION OF SPRAY SOLUTION: Read COMPATIBILITY OF MIXTURES section prior to any tank mixing with this product. Fill the spray tank until it is approximately 1/2 full with clean water. Add DIMANCO to the spray tank while agitating. Agitation must be engaged prior to the addition of the product to obtain a complete and uniform mixture of DIMANCO. Add other fungicides, insecticides, growth regulators, micronutrients, and spray adjuvants after DIMANCO has been placed in suspension. Once mixing is complete, add water to desired volume.

When preparing spray solutions for use in a hand sprayer, premix as a slurry in a small container, and then add to sprayer containing 1/3 to 1/2 the desired final water volume and agitate. Once mixing is complete, add water to desired volume.

Please refer to the following table when mixing spray solutions.

Mixing Spray Solutions of DIMANCO

Spray Volume	Pounds of Formulated Product	Ounces of Formulated Product	Grams of Formulated Product
100	1.75	28	794
10	0.175	2.8	79
5	0.09	1.4	40

DISPOSAL CONSIDERATIONS

To avoid disposal, all attempts should be made to use this product completely, in accordance with its registered use. If this is not possible, handle with care, and dispose in a safe manner. Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility.

Keep all sources of ignition away and avoid creating dusty conditions. Empty containers or liners may retain some product residues. DO NOT REUSE. Triple rinse the container or liner thoroughly as needed and add rinsate to the spray tank. Offer container for recycling or reconditioning or render container unusable by crushing or puncturing and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Follow all applicable community, national or regional regulations regarding waste management methods.

Batch No.:

Date of manufacture:

Expiry Date:

